


# SEAM CLAMPS PRO

## PRODUCT SHEET

Large selection of mounting solutions

Direct mounting on any available seam roof



### FOR ALMOST ANY TYPE OF SEAM ROOF

Schletter seam clamps offer perfect mounting solutions for almost any type of seam roof. (Alternatively, our FixPlan system also enables direct mounting into the substructure - see FixPlan product sheet).

#### NOTE

In case of titanium zinc sheet metal, the load-bearing capacity of the seams must be observed.









Compatibility must also be checked on site.

## TECHNICAL SPECIFICATIONS

<b>Scope of application</b>	Sheet metal seam roofs with load-bearing sheet metal seams
<b>Material</b>	Clamps: Aluminium Clamps 112001-000 and 112007-000: Stainless steel 1.4301 Screws: Stainless steel
<b>Planning aid</b>	Configuration and structural analysis via Schletter Configurator
<b>Structural analysis</b>	Structural analysis based on recognized engineering standards. Verification of structural safety of the mounting system is based on Eurocodes and general construction approvals. The load assumptions comply with DIN EN 1991-1 and the regulations of the national annex. Roofing and building certificates are not included. Any instructions on required certification and approval must be observed.
<b>Warranty</b>	25 years on structural components, according to our warranty terms
<b>Supplementary documents</b>	Assembly instructions Seam Clamps PRO Component overview - Special fastening solutions




**SEAM CLAMPS PRO**

**ARTICLE OVERVIEW**

112001-000	Seam clamp 503 VA for standing seam roof	PU:50	
112001-105	Seam clamp Pro 503 for standing seam roof	PU:50	
112001-110	<p>Seam clamp Pro 504 for standing seam roof  <i>Suitable in particular for double standing seam roofs made of titanium zinc sheet metal</i></p>	PU:50	  <p>Possible seam dimensions (observe dimensional drawing):  <math>h = 11 - 13 \text{ mm}</math>  <math>w1 = 4 - 6 \text{ mm}</math>  <math>w2 = \text{max. } 3 \text{ mm}</math></p>
112002-103	Seam clamp Pro 510 for Kalzip <sup>®*</sup> , Bemo <sup>®*</sup>	PU:50	
112003-103	Seam clamp Pro 520 for Zambelli RIB-ROOF 465* et al.	PU:50	
112004-102	Seam clamp Pro 522 for Zambelli RIB-ROOF 500* et al.	PU:50	
112006-102	Seam clamp Pro 524 for FischerKLIPTEC* 52/400 et al.	PU: 50	



## SEAM CLAMPS PRO

### ARTICLE OVERVIEW

<b>112007-000</b>	Seam clamp 525 VA for Domico Domitec®** et al.	PU: 50	
<b>112012-107</b>	Seam clamp Pro 551 for KlipLok 700/406 <i>For KlipLok 700 HiStrength, Classic 700, 406 et al.</i>	PU: 100	
<b>112023-112</b>	Seam clamp Pro 562 Universal	PU: 50	

\*All trademarks mentioned herein are the property of their respective owners.

### ACCESSORIES (to be ordered separately)

<b>129063-002</b>	RapidCon90	PU: 100	
<b>or</b>			
<b>129063-020**</b>	Rapid cross-connector 90 Pro <i>Fully pre-assembled for ProLine channel For cross rail system of the Proline series</i>	PU: 150	

\*\* available until end of Q2/2023



More info

